UNICOL®

supporting you

18

Edition



AV

Mounting Solutions

UNICOL, fundado hace 48 años en Oxford, Inglaterra, es el líder en el campo de la publicidad digital, habiendo ya proveído miles de soportes especializados para instalaciones en supermercados, centros comerciales, y en los centros de ocio más grandes en el Reino Unido y también ahora en Alemania y Francia.

Unicol está a la cabeza en el desarrollo de nuevos tipos de soportes, que se caracterizan por su fácil instalación y a un coste económico. En este catálogo se ilustran algunas adaptaciones típicas, donde los soportes llevan cajas para ordenadores y memorias, donde los cables van ocultos y seguros en las columnas. Nuestros soportes dan prioridad a las necesidades de altura, del ajuste de la inclinación y de rotación, etc. Los soportes especializados UNICOL también le permiten una instalación harmónica, sintonizando con el estilo del interior del establecimiento.

Los soportes „in-store“ han sido probados extensivamente para garantizar una instalación segura en áreas públicas.

Luis Revecco

Contents

*Pages **3 - 14** – Stands & Trolleys*

*Pages **15 - 32** – Installation Parts*

*Page **33 - 37** – Projector Mounts*

*Page **38 - 39** – Security Devices*

*Pages **40 - 41** – Special Projects*

*Pages **42 - 43** – Accessories, Covers*

Ordering

Call, Email or order on line. Prices shown are Ex VAT. Please let us know the screen or projector make and model and colour choice. (Non-standard colours are at extra charge). If you are not sure which product to use for your install then we will recommend a solution - we have much experience and are here to help.

Symbols

Dimensions shown in cm & mm.

Screen Size: Shows typical size but weight is the important factor.

Weights: Maximum shown, includes any peripherals – do not overload.

Colour: Standard colour shown first e.g. black standard, silver optional.

Warranty: All mechanical goods have a 10 year warranty on design and manufacturing failure. Electrical parts carry a 12 month return to base warranty. All products and prices listed in this catalogue are correct at time of going to press (Issue 2 – May 2011). © Peter Ligertwood 2011.

Mounting Solutions

Avecta®

A highly flexible and adaptable screen stand system designed for professional use to harmonise with the best interiors. Multiple screen versions also available.

Lo-Level Stand

Height to centre of screen adjustable from 63 to 94cm. Comes with metal equipment shelf as standard.

AVLP

Lo-Level Trolley *(not illustrated)*

Height to centre of screen adjustable from 76 to 107cm. Comes with metal equipment shelf as standard.

AVLT

Typically 33-57" screens | 75kg MAX



Distance from rear of mast to rear of unit (wall) 65mm

Wall Mounted

Call us for details



Hi-Level Stand

Height to centre of screen adjustable from 113 to 146cm. Comes with metal equipment shelf as standard. Shown with two glass shelves as optional extras. Back to back version also available.

AVHP

Typically 33-57" screens | 75kg MAX



Distance from rear of mast to rear of unit (wall) 65mm



Hi-level Trolley

Height to centre of screen adjustable from 126 to 151cm. Comes with metal equipment shelf as standard.

AVHT

Typically 33-57" screens | 75kg MAX



Distance from rear of mast to rear of unit (wall) 80mm

Avecta Stands & Trolleys



Other Multi-screen units are available. Call us for details.



The Types refer to the length of mount support for different screen sizes



Distance from rear of mast to rear of unit (wall) 80mm

Twin-screen Unit

Has Video Conferencing mount VCM (Page 7) and shelf AVP1. High and lo-level versions available. Stand version has static feet instead of wheels.

ACHT	*Hi-level Trolley*
ACLT	*Lo-level Trolley*
ACHP	*Hi-level Stand*
ACLP	*Lo-level Stand*

Typically 33-57" screens | 75kg MAX

AVR2 Wheeled Version

This wheeled cabinet is free standing and is available with a mast assembly and screen mount MK1, sold separately.

AVR2B	*50w x 70h x 70d*
AVR5B	*50w x 70h x 50d*

Accessories

RK1	*14U Rack Mount kit*
RK2	*Shelf kit (2 shelves)*
MK1	*Mast & PZX screen mount*

Typically 33-57" screens | 60kg MAX



AVR5B shown above

Metal Equipment Shelf

Height adjustable. Mast cable entry.

AVP1	*50w x 40d*
AVP2	*55w x 45d*
AVP3	*30w x 30d*

20kg MAX



Glass Equipment Shelf

Toughened glass to EN12150.
Height adjustable. Mast cable entry.

AVGS *50w x 40d*

20kg MAX



Locking Cabinet

Height adjustable. Door conceals into roof. Useable top surface.

AVLC *inside dimensions 50w x 14h x 40d*

20kg MAX



Axia Stands & Trolleys

* **Graceful and stylish design**
* **High quality safety glass shelves**
* **Neat cable management**
* **Integrated 4-way power socket**
* **Video Conferencing options**
* **Twin Screen version available**
* **Portrait version available**

Axia®



Distance from rear of mast to rear of unit (wall) 100mm

Lo-Level Stand

Height to centre of screen 100cm. Glass shelf AXGS included.

AX10P *Stand version up to 57″*

AX12P *Stand version up to 65″*
(Uses special base unit – not shown)

Typically 33-57″ screens — 75kg MAX

Typically 30-65″ screens — 100kg MAX





Distance from rear of mast to rear of unit (wall) 100mm

Hi-Level Stand

Height to centre of screen 150cm. Glass shelf optional extra. Twin screen version also available, see Page 8 - Call for details.

AX15P *Stand version up to 57″*

AX17P *Stand version up to 65″*

Typically 33-57″ screens — 75kg MAX

Typically 30-65″ screens — 100kg MAX

Hi-Level Stand & Cabinet Base

Height to centre of screen 165cm Shelf not included. Internal dimensions of cabinet 48 (w) x 40 (d) x 16cm (h).

AX16P

Typically 33-57″ screens — 75kg MAX



Axia Stands & Trolleys

Lo-Level Trolley

Height to centre of screen 110cm.
Glass shelf AXGS included.

AX10T *Stand version up to 57"*

AX12T *Stand version up to 65"*

Typically 33-57" screens — 75kg MAX

Typically 30-65" screens — 100kg MAX



Distance from rear of mast to rear of unit (wall) 130mm



Hi-Level Trolley

Height to centre of screen 161cm.
Glass shelf optional extra. Twin screen version also available, stand version shown on Page 8 - Call for details.

AX15T *Stand version up to 57"*

AX17T *Stand version up to 65"*

Typically 33-57" screens — 75kg MAX

Typically 58-70" screens — 100kg MAX



Distance from rear of mast to rear of unit (wall) 130mm

Safety Glass Shelves

Choose from 2 sizes, these high quality shaped and fully edge polished 8mm shelves are toughened and conform to EN12150. Use 1, 2 or 3 shelves on any Axia model.

AXGS *50w x 40d*

AXWS *78w x 39d*

20kg MAX



Video Conferencing Mounts

Standard platform unit fits above screen. Use standard shelf when fitting below screen or use many of our bespoke versions made to fit specific VC models. – Call us for details.

VCM *Shelf size 34w x 26d*

20kg MAX



Axia Large Format Stands & Trolleys

Axia Twin Screen Stands & Trolleys

Height to centre of screen 150cm on stand versions and 168cm on Trolley versions. Video-conferencing Mount VCM and Glass shelf AXGS included.

AXC15P12 *Stand, PZW1 Type2*
AXC15P13 *Stand, PZW1 Type3*
AXC15P14 *Stand, PZW1 Type4*
AXC15P32 *Stand, PZW3 Type2*

AXC15T12 *Trolley, PZW1 Type2*
AXC15T13 *Trolley, PZW1 Type3*
AXC15T14 *Trolley, PZW1 Type4*
AXC15T32 *Trolley, PZW3 Type2*

Please let us know screen sizes and we will provide correct Axia Twin Model

75kg MAX

Typically 33-57" screens



CE

Axia® Titan

Axia Titan PowaLift – Screens 71" to 108"

Operated by hand held remote, this trolley can lift screens up to 108"(including touch overlay), from 105 to 155cm, centre of screen.

AXL15T2H *for screens 71 to 90"*
AXL15T2J *for screens 91 to 108"*

This product is CE approved and **DDA** *compliant*

Shown supporting 2 x 2 VideoWall and Touch overlay

400kg MAX



Shown supporting 103"

Axia Titan – Screens 51" to 108"

Height to centre of screen 150cm or 200cm. Shelf not included

For Screens 51" to 70"

AX20P2E *200cm Stand version*
AX20T2E *200cm Trolley Version*

For Screens 71" to 90"

AX15P2H *150cm Stand version*
AX15T2H *150cm Trolley Version*
AX20P2H *200cm Stand version*
AX20T2H *200cm Trolley Version*

For Screens 91" to 108"

AX15P2J *150cm Stand version*
AX15T2J *150cm Trolley Version*
AX20P2J *200cm Stand version*
AX20T2J *200cm Trolley Version*

400kg MAX



Parabella

- **Curved slim design.**
- **Allows generous height for screen displays.**
- **Neat cable management within curved uprights.**
- **Glass shelf option.**
- **Power socket option.**
- **Screen Mount included from our wide range.**



Hi-Level Stand

Height to centre of screen 183cm.
Glass shelf and 4-way power socket optional extras.

PA2

NEW Price

Typically 50-65" screens | 80kg MAX



Lo-Level Lectern Stand

Height to centre of screen 100cm.

PA1

NEW Price

Typically 32-65" screens | 80kg MAX





Safety Glass Shelf

This high quality shaped and fully edge polished 8mm shelf is toughened and conforms to EN12150.

PARAGS *50w x 40d*

20kg MAX



4-Way Power Sockets

Choose from 2 types, UK style and Euro style.

PARAES4B *UK Style*

PARAES4EB *Euro Style*

The inspirational stand system for exhibitions and conferences

PowaLift™ CE *This product is CE approved and* **DDA** *compliant*

Electronic control and PowaLift technology combine in this versatile unit.

Operated by hand held remote, hard wired switch or from your Lap-Top, screens can be commanded to rise or descend smoothly through 500mm, stopping safely at any point.

These trolley units serve many needs, from enabling young children or wheel chair users to interact with touch screens or simply making it possible to move from one location to another through doorways.



Typically 33-57" monitors · 75kg MAX

Comes with hand held remote, hard wired switch and USB controller.

PowaLift Screen Trolley

AVMT

PowaLift Screen Wall Mount

AVMW



Typically 33-57" monitors · 75kg MAX

Extendable & articulating Lap-top Arm

PowaLift Projector Trolley

AVPPT

Typically 48-100" whiteboards

Multi-Controller

Manual power switch USB control and software

Remote Control

PowaLift Accessories

AVML1	*Lap-top Arm*
AVMR	*Remote Control*
AVMRBAT	*Battery (remote)*

VS1000 Stands & Trolleys

The VS1000 is regarded as the 'work horse' of our industry.

With their wide choice of interchangeable parts, easy assembly and sheer robustness, these units are the favoured choice of trade show, education, broadcast and AV users everywhere.

Accessories include glass or metal shelves, locking cabinets, video conferencing mounts and other items. Back to back versions available.

VS1000 Trolley

Height to centre of screen 160cm.
Glass or metal shelf optional extras.

VSS-1500X2-VMSV
(Only for screens up to 32", VESA 100 x 200)

VSS-1500X2-PS2-PLW
(Standard model for screens up to 57")

VSS-1500X2-PS2-PLW2
(For screens up to 65")



Typically 30-65" screens | 80kg MAX

Distance from rear of column to rear of unit (wall) 90mm

VS1000 Stand

Height to centre of screen 146cm.
Glass or metal shelf optional extras.

VSX-1500X2-VMSV
(For screens up to 32", VESA 100 x 200)

VSX-1500X2-PS2-PLW
(Standard model for screens up to 57")

VSX-1500X2-PS2-PLW2
(For screens up to 65")



Typically 30-65" screens | 80kg MAX

Distance from rear of column to rear of unit (wall) 90mm

VS1000 Trolley - Compact

For exhibitors and mobile AV show providers. Supplied with columns that separate into 4 one metre sections for flight case or vehicle stowage.

These 2m high stands use PZW universal screen mounts.

VSC1 *Type 1 (40"-57" screens)*
VSC3 *Type 3 (30"-40" screens)*
CT20M *Twin 2 part 2m columns*
(Not for ceiling suspension applications)

A complete system for exhibitions that can fit into a flight case – screen, universal mount, stand or trolley and even items to suspend your screen – call for details.



Typically 30-57" screens | 80kg MAX

VS1000 Stands & Trolleys

Metal Shelves

For DVD players, PC's etc. Fully height adjustable.

VP1 *50w x 40d*

VP2 *55w x 45d*

VP3 *30w x 30d*



Glass Shelf

For DVD players, PC's etc. Fully height adjustable.

VGS *50w x 40d*



Locking Cabinet

For DVD players, PC's etc. Fully height adjustable. Access for mains and other cables.

VLC *55w x 15h x 40d*



Twin Socket Adapter

PS2 *110mm centres*

AV2 *150mm centres*



VESA Mount Adapter

For 100 x 100 & 100 x 200 VESA

VMSV

Scimitar trolley base

Scimitar free-standing base

Compact Bolt Down Base

Design allows M12 floor bolts to be neatly recessed. Trim caps supplied. Single column version also available.

VSF *39w x 25d*



Scimitar™ Base

Elegant curved design provides alternative to 'K' base. Wheeled or free-standing versions available.

VSS *Trolley base - 87w x 60d*

VSR *with braked wheels*

VSX *free-standing version*





Original 'K' Base

With non-marking rubber wheels.

VSB *87w x 60d*

VBR *with braked wheels*



Single® Column

(01)

(02)

SMTB - shown with 3350, PAA & special VVC

(03) (04)

MG Base has Static Feet.

Telescopic Trolley

S-3350-AD-PA *(01)*

Projector Trolley

S-1000-PB

Low Profile Base with Jacking Feet

S *55w x 45d*

L *65w x 55d*

Lectern

MG-1000-PE *(03)*

General Purpose Trolley

MSB-500-PB *(04)*

Telescopic Columns

2533 *74 to 95cm* *(05)*

3350 *98 to 142cm*

Accessory Shelves

AP *30w x 30d* *(06)*

AD *40w x 40d*

Low Profile Base

MSB *40w x 40d*

MG *40w x 40d*

Medium Duty Base

SMTB *55w x 45d* *(02)*

Platforms

PAA *45w x 30d* *(07)*

PB *45w x 45d*

PC1 *55w x 45d*

PF *75w x 30d*

Tilting Platforms *(0 - 10°)*

TGA *45w x 30d* *(08)*

TGB *45w x 45d*

TGC *55w x 45d*

These versatile trolleys can be used in many situations and their predecessors lay the foundation to UNICOL's name; Uni–single, Col–column.

Colour ●

(05)

(06)



S Base shown



M Base shown

(07)

(08)



T Base shown

Lifestyle Range



Axia Lo-level Stand

This sleek flowing stand comes with a glass shelf and 4-way power socket.

Height to centre screen 100cm

AX10P



75kg MAX ● Typically 33-57" screens

Azana Swivel Stand

Twin large glass shelves and screen swivel action makes this a perfect stand for your home cinema system.

Height to centre screen 100cm

AZ1000



60kg MAX ● Typically 33-57" screens

Table Stand

PFT1 *40" to 57" screens*

PFT3 *30" to 40" screens*

PFL *51" to 65" screens*

60kg MAX

85kg MAX

● Typically 33-57" screens



TEVELLA™

Tevella TV Stand

For up to 32" screens.

Height to centre of screen 100cm

TVV1 *Upright*

TVL1 *Lectern Style*

15kg MAX ● Typically 15-32" screens





Digital Signage

The Universal Mount with Fingertip Tilt Control™
Vertical arm adjustment & Security all built in as standard



Tilt your screen to the perfect viewing angle – the angle you choose stays reliably set or can be changed whenever necessary. Pozimounts come in a variety of sizes to fit most screens up to a weight of 60kg.
They can be direct wall fixed or used with any of our ceiling kits, swing arm wall units or stands and trolleys.
A non-tilt version is also available.

* Choose from a number of versions both in landscape and portrait
* Vertical adjustment in arms aligns individual screens
* Comes with security tags for a padlock to be fitted
* Range fits the VESA-Standard: 200x200 / 300x300 / 400x200 / 400x300 400x400 / 500x500 / 600x400 / 700x500 / 800x400 / 800x600mm
* Comes with Universal fixing kit
* Supports up to 60kg

Pozimount Type 1

For screens – typically from 32" to 57"
Vesa: 200x200, 300x300, 400x200, 400x300, 400x400, 500x500, 600x400, 700x500mm
Horizontal adjustment 20cm to 68cm
Vertical adjustment 20cm to 51cm
Universal fixing kit included.

Tilting Version

PZW1 *Up to 57" screens*

Non-Tilt Version

PZX1 *Up to 57" screens*

PZX
PZW
Landscape

PPZX
PPZW
Portrait

Each arm has 8mm of fine adjustment for levelling screens



Minimum screen size for this mount: 765mm (w) x 540mm (h)

Pozimount Universal Mount Range

60kg MAX

Pozimount Type 3

For screens – typically from 32" to 57"
Vesa: 200x200, 300x300, 400x200, 400x300, 400x400mm
Horizontal adjustment 20cm to 45cm
Vertical adjustment 20cm to 41cm
Universal fixing kit included

Tilting Version

PZW3 *Up to 57" screens*

Non Tilt Version

PZX3 *Up to 57" screens*

Each arm has 8mm of fine adjustment for levelling screens



Minimum screen size for this mount: 540mm (w) x 440mm (h)

60kg MAX

Pozimount Type 5

For flatscreens from 50" to 70"
Vesa: 200x200, 300x300, 400x200, 400x300, 400x400, 500x500, 600x400, 800x400, 800x600mm
Horizontal adjustment 20cm to 81cm
Vertical adjustment 20cm to 64cm
Universal fixing kit included

Non Tilt Version *(only)*

PZX5 *Up to 70" screens*

(For tilting version use Xactmatch type PLW)

Each arm has 8mm of fine adjustment for levelling screens



Minimum screen size for this mount: 870mm (w) x 640mm (h)

60kg MAX

Pozimount Portrait Version

For screens – typically from 32" to 57"
Vesa: 200x200, 300x300, 400x200, 400x300, 400x400, 500x500, 600x400, 800x400mm
Horizontal adjustment 20cm to 45cm
Vertical adjustment 20cm to 84cm
Universal fixing kit included

Non Tilt Version

PPZX6 *Up to 57" screens*

Shorter arm Version *(Not illustrated)*

This can be used for both landscape and portrait mounting.

For screens with max VESA 600x400
Uses PZAF1 or PZF1 arms with PZB3 back plate.

PZW2 *tilt version*
PZX2 *non-tilt version*

Each arm has 8mm of fine adjustment for levelling screens



Minimum screen size for this mount: 870mm (w) x 540mm (h)

60kg MAX

Pozimount Portrait Version

For screens – typically from 50" to 70"
Vesa-Standards: 200x200, 300x300, 400x200, 400x300, 400x400, 500x500, 600x400, 800x400, 800x600mm
Horizontal adjustment 20cm to 68cm
Vertical adjustment 20cm to 84cm
Universal fixing kit included

Non Tilt Version *(only)*

PPZX7 *Up to 70" screens*

Each arm has 8mm of fine adjustment for levelling screens



Minimum screen size for this mount: 765mm (w) x 870mm (h)

Pozimount Parts & Excalibur

Each arm has 8mm of fine adjustment for levelling screens



PZF1

PZF3

Pozimount Arms (Pairs)
Universal fixing kit included

PZAF3 *tilt, length 44cm*

PZAF1 *tilt, length 54cm*

PZF3 *non-tilt, length 44cm*

PZF1 *non-tilt, length 54cm*

PZF5 *non-tilt, length 64cm*

PPZF5 *non-tilt, length 87cm*

Also used with ScreenTrac – see opposite

60kg MAX



PZF5

Each arm has 8mm of fine adjustment for levelling screens

PPZF5





Pozimount Backplates

PZB3 *width 54cm*

PZB1 *width 76.5cm*

PZB5 *width 87cm*



Universal Fixing Kit *(Not illustrated)*

FIXPZUNI

Flatscreen Mount housings

Specialist Plasma / LCD mounts incorporating a housing for slim-line computer, flash card reader or balun box. Power sockets can also be built in. These interface units can reduce installation time.
Bespoke mount and security locking versions also available.

PCZW *Universal Tilting*

PCZX *Universal non-Tilting*

Inner dimensions of housing (WxDxH) in cm: 32x10x33

60kg MAX



Ultra Slim Universal Wall Mount

- only 7.5mm slim!
- for screens up to 50"
- VESA-Standards: 200x100 / 200x200 / 400x200 / 400x400 / 600x200 / 600x400

UTM *for screens up to 50"*

(Note: Some thin screens have connectors on the rear preventing them from being mounted this close to the wall with this item).

40kg MAX

eXcalibur™



ScreenTrac Universal Multi-Display System

A modular track system for linear wall mounting flat screens in any number. Ideal for Telepresence wall mounting.

Wall plates link together using our unique jig-saw design to carry any of our standard arms.





To calculate the ScreenTrac parts required for your screens follow this guide:

Total length of Wall Plate needs to be between C and D.
Height of Screen Arms needs to be between E and F.

Video Conferencing camera mounts also available – above and below screen.

Wallplate

MDU70 *Wall plate 70cm*

●○

arms see page 18



Wallplate

MDU35 *Wall plate 35cm*

●○

arms see page 18



Wallplate

MDU140 *Wall plate 140cm*

●○

arms see page 18



Trade Packs for flatscreen suspension

These 'package priced' kits offer ease and convenience for specifiers and installers, combining the necessary ceiling plate, column & Universal tilting mount for a typical installation.
Three column lengths are listed to suit different ceiling heights. Trade Packs consist of Ceiling plate, Column & Mount(s).

Single Screen Kit *(KP110CB shown)*

- supports up to 60kg

KP310CB	*1m, 27" to 37"*
KP320CB	*2m, 27" to 37"*
KP330CB	*3m, 27" to 37"*
KP110CB	*1m, 40" to 57"*
KP120CB	*2m, 40" to 57"*
KP130CB	*3m, 40" to 57"*



Ceiling plate CP1



KP1

Twin back-to-back Screen Kit
(KP110DB shown)

- supports up to 60kg (per screen)

KP310DB	*1m, 27" to 37"*
KP320DB	*2m, 27" to 37"*
KP330DB	*3m, 27" to 37"*
KP110DB	*1m, 40" to 57"*
KP120DB	*2m, 40" to 57"*
KP130DB	*3m, 40" to 57"*



Ceiling plate CP2



KPL1

Xactmatch mounts™



Approved Mounts which exactly match each screen listed

We offer a vast range of mounts covering all popular makes of screen. Use any of these mounts for direct wall fixing or in conjunction with our ceiling kits, wall arms or trolleys. Mounts come in landscape and portrait, flat, tilting and rotating.

PLX1

Slimline Mount

Slim profile, for 'close to the wall' appearance, where tilt is not required.

PLX1 *Screens up to 57" / landscape*
PLX2 *Screens 51" to 70" / landscape*
PLX3 *Screens 71" to 90" / landscape*

PPX1 *Screens up to 57" / portrait*
PPX2 *Screens 51" to 70" / portrait*
PPX3 *Screens 71" to 90" / portrait*
PPX4 *Screens 91" to 108" / portrait*

State Plasma or LCD make & model



Typical Mount shown - sizes vary according to screen



PLW1

Tilting Mount

PLW1 *Screens up to 57" / landscape*
PLW2 *Screens 51" to 70" / landscape*
PLW3 *Screens 71" to 90" / landscape*
PLW4 *Screens 91" to 108" / landscape*

PPW1 *Screens up to 57" / portrait*
PPW2 *Screens 51" to 70" / portrait*
PPW3 *Screens 71" to 90" / portrait*

State Plasma or LCD make & model

PLW4

RWM9003

NEW Price

Rota-Mount

Allows smooth rotation from portrait to landscape and anywhere between. In-built safety stops at 0 - 90 degree. For stand and wall mounting.

RTMV1 *Screens up to 32" - Stands*
RWMV1 *Screens up to 32" - Wall*
RTM9003 *Screens up to 57" - Stands*
RWM9004 *Screens up to 57" - Wall*

* ***RTMV1*** *requires a special PS1T when ceiling suspended – see Page 32.*

RTM7 *71" to 90" versions*
RTM8 *91" to 108" versions*

State Plasma or LCD make & model



RTM7/8

Vesa: 100x200, 200x200, 300x300, 400x200, 400x300, 400x400, 500x500, 600x400

ADAPTA-WALL™

A versatile system that provides many combinations for Video-wall applications. Supplied in vertical modules of no more than 4 landscape screens, each with it's own adjustment. Each module can be added to, both horizontally and vertically, in order that modules can be built up to make different sizes of Video-wall. Portrait versions also available.

The system is available in a number of different standard options based around 40" to 46" sized screens.

Ceiling mounted
Floor to wall mounted
Floor to ceiling mounted
Wall mounted
Freestanding stand (height limited to 4 screens)
Freestanding trolley (height limited to 4 screens)

NEW Price

Included in the system are our standard columns for the screen mounts to attach to, ensuring that a plumb structure is built to support the screens. In addition the structure provides a natural air curtain for ventilation of screens. Fans can be added if installing into closed spaces. PC shelves are also available – these are mounted behind the screens for easy access.

To remove screens simply push the top of screen bezel forward to tilt the screens back, loosen 2 screws and lift screens off.

To Order:

There are many combinations of screen configurations and installation requirement. Therefore, we have provided guide pricing based on a single vertical stack of 4 x 46" screens on 2.5m high columns – see diagrams opposite. Anything outside of these criteria may require longer columns and joiners – please call us so we can tailor make a solution to fit your particular needs.

What we need to know:

Screen dimensions and make and model
How many screens high and wide
How you intend to install e.g. attaching to wall only, attaching to ceiling, attaching from floor to wall, floor to ceiling, free standing, trolley mounted, any special circumstances?

AW1W25L4 *Wall Mounted - 2.5m columns*
AW2F25L4 *Floor to Wall Mounted - 2.5m columns*
AW3C25L4 *Floor to Ceiling Mounted - 2.5m columns*

AW4S25L4 *Stand Mounted - 2.5m columns*
AW5T25L4 *Trolley Mounted - 2.5m columns*

60kg/ screen ● Typically 40-46" screens

Video Wall Mount Range


Top Brace Clamp and 1m Column - attaches stacks of screens together.
Wall Brace - adjustable bracket tethers units to a wall.
2.5m Columns
Mount Clamp Assys & Mounts - fix together - attach arms to screen - hook onto back plate and fit safety screws.
Each screen mount assembly pivots so that each screen can be lifted off.
Adjustment - screen can slide from side to side. Each arm has up and down and in/out adjustment.
Bolt down foot plate, or free standing stand or trolley.

Floor to wall version shown above. This would be bolted to floor and tethered back to wall using the telescopic brackets provided.

Stand version shown with screens tilted for servicing.



Wall only version | Floor to Ceiling version | Stand version | Trolley version





Adjustment:

Screen has lateral shift

In - Out adjustment

Up and Down

Handle holds screen in tilt position



Column Joiner

Floor to Ceiling Systems

We offer a wide range of options for mounting twin or multiple screens or even projectors. Ideal for shop fronts, financial institutions, control rooms, museums and art galleries. These can be floor to ceiling, or ceiling mounted with screens presented either flat or angled. For floor to ceiling screen mounting, alternative single and double column base plates and ceiling plates are available.



Single column **Twin column**

CP1 *Ceiling Plate*

CP8

PS6U *Screen adapter with holes for cabling*

PS6V

PS3U *Screen adapter*

PS3V

FP1 *Floor Plate*

FP8

Screen & Projector Gantries

We manufacture a range of specialist gantries, in-line, double, triple and quadruple. We also manufacture rear covers to hide cables and neaten appearance from the rear – see Page 43.
– Call us for details.





In-Line Gantry
In addition to our bespoke units we have a range of universal In-Line Gantries onto which you fasten sockets or pegs depending on you requirement.

DIG5001000 *500–1000mm*
DIG10001500 *1000–1500mm*
DIG15002000 *1500–2000mm* – Call us for details.

MSS1 *Bolt on socket*
MSP1 *Bolt on peg*

(Typical unit shown above – State projector make & model)



Quad Gantry *(Typical unit shown above)*
including:
CP9 (page29)
2x 1000 (page 42)
1 x Quad display gantry
4x PS1 (page 32)
4x PLW1 (page 21) *(State screen make & model)*

Small Screen Mount Range



Slim-line Wall Mount

Wall fixing points shown

- for displays up to 21"
- VESA 75x75 and 100x100

20kg MAX

LVC



Tilt Mount

Wall fixing points shown

- for displays up to 21"
- VESA 75x75 and 100x100

8kg MAX

LVA *Black Only*



Tilt & Swivel Mount

Wall fixing points shown

- for displays up to 21"
- VESA 75x75 and 100x100

8kg MAX

LVB *Black Only*



Wall fixing points shown

Tilting Wall Mount

- for displays up to 32"
- VESA 75x75, 100x100, 200x100

35kg MAX

STV1 *VESA up to 200x100*

STN *Non-VESA up to 25"*



Wall fixing points shown

Clip-On Slim-line Wall Mount

Our most popular mount, easy to use, fits most screens and has concealed security screw.

- for displays up to 32"
- VESA 75x75, 100x100, 200x100

35kg MAX

SVC1 *VESA up to 200x100*

SDN *Non-VESA up to 25"*



Wall fixing points shown

Clip-On Slim-line Wall Mount

This popular mount is easy to use, fits most screens and has concealed security screw.

- for displays up to 32"
- VESA 200x200

35kg MAX

SVC2 *VESA only 200x200*



Wall fixing points shown

Tilting Wall Mount

- for displays up to 32"
- VESA 200x200

35kg MAX

STV2 *VESA only 200x200*



Suspension unit with swivel & tilt

Use with any Unicol ceiling or wall suspension equipment.

- for displays up to 32"

15kg MAX

SCV1 *VESA up to 200x100*

SCN *Non-VESA up to 25"*



Suspension unit with swivel & tilt

Use with any Unicol ceiling or wall suspension equipment.

- for displays up to 32"

35kg MAX

SCV2 *VESA only 200x200*



Lectern style screen mount

For use with touch screens or in show room displays. Tilt angle fully adjustable.

- for displays up to 32"
- VESA 75x75, 100x100, 200x100

15kg MAX

SEV1 *VESA up to 200x100*

SEN *Non-VESA up to 25"*



Lectern style screen mount

For use with touch screens or in show room displays. Tilt angle fully adjustable.

- for displays up to 32"
- VESA 200x200

15kg MAX

SEV2 *VESA only 200x200*



15kg MAX

VESA Adapter

- VESA adapter for all Unicol stands
- VESA 75x75, 100x100, 200x100 & 300x100

C152V1075 200x100
C302V1075 200x100, 300x100

Wall Arms

Small version

For direct connection with any PSU (Projector Suspension Unit) or flatscreen TV mount. Arm 35cm to centre of peg.

WB0
WB0210

25kg MAX

Other length versions manufactured – Call us for details.



Standard version

For direct connection with any PSU (Projector Suspension Unit) or flatscreen TV mount. Arm length is 47cm to centre of peg.

WB1

55kg MAX

Other length versions manufactured – Call us for details.



Column suspension version

Useful where site conditions dictate wall bracket has to be fixed at a higher level than TV screen or projector. Use with any column length required.

WB2

55kg MAX

Other length versions manufactured – Call us for details.



PANARM™



35kg MAX

Double Swing LD Wall Mount

For TV screens up to 32inch (VESA 75x75, 100x100, 200x100; Non VESA also available).
Folds to wall, 6cm including mount.
Arm comes complete with tilting mount with fixing holes for screen.
Has built in tilt adjustment and separate screen rotation to level screen.

SSV *VESA 100 x 200*
SSN *Non-VESA*

EU Registered Design 000371679-0003



Arm full extension – 465mm



35kg MAX

Single Swing LD Wall Mount

For TV screens up to 32inch (VESA 75x75, 100x100, 200x100; Non VESA also available).
Arm comes complete with tilting mount with fixing holes for screen.
Has built in tilt adjustment and separate screen rotation to level screen.

SRV *VESA 100 x 200*
SRN *Non-VESA*

EU Registered Design 000371679-0001



Arm full extension – 260mm

PANARM™

Twin Double Swing Arm

- supports up to 60kg
For screens up to 70inch. Has 52cm of reach. Engineered for strength and ease of use. Arms conceals behind screen when folded. Only 10.2cm when folded (plus mount).
Includes PZX5 Universal mount

PLA2Z5 *10.2cm folded*

NEW Price

60kg MAX





150mm deep with mount attached

NOW INCLUDES SCREEN MOUNT



50kg MAX



Has Tilt, Swivel & Rotation adjust-

Double Swing MD Wall Mount

For screens up to 50inch. Engineered for strength and ease of use. Arm conceals behind screen when folded to wall. Only 14.7cm when folded (plus mount). Has built in tilt mechanism and rotation adjustment to level screen accurately in all positions.

PLA1Z1 *14.7cm folded*
PLA1Z3 *14.7cm folded*

*(68cm reach - **Includes PZX Universal mount**)*

EU Registered Design 000371679-0004

NEW Price





Arm full extension – 680mm



50kg MAX

Single Swing MD Wall Mount

For screens up to 50inch. Slim 11cm when folded flat (plus mount). Has built in tilt mechanism and rotation adjustment to level screen accurately in all positions.

PLS1Z1 *11cm folded*
PLS1Z3 *11cm folded*

*(46.5cm reach - **Includes PZX Universal mount**)*

EU Registered Design 000371679-0002

NEW Price



Arm full extension – 465mm

Installation Accessories

Standard ceiling plate
Use with any column length for suspension of projectors & single screens up to 57".

- supports up to 60kg
- holes 12cmx12cm
- cable entry

CP1

60kg MAX



Ceiling plate with stepped function
Use with any column length for suspension of projectors & single screens up to 57".

- supports up to 60kg
- holes 12cmx12cm
- cable entry

CP1E

60kg MAX



Large Ceiling Plate
For long column or heavy installations typically up to 65" or twin 57" screens.

- supports up to 120kg
- holes 24cmx24cm
- cable entry

CP2

120kg MAX



Peg Ceiling Plate
For directly connecting projector & single screen mounts up to 57".

- supports up to 60kg
- holes 12cmx12cm
- cable entry

CP3

60kg MAX



Tilting Ceiling Plate
For sloping or 'out of level' installations. Projectors & single screens up to 57".

- supports up to 60kg
- holes 12cmx12cm
- cable entry

CP6

60kg MAX



Tube Mount
for suspending screens from lighting gantries, show stands or other structures.

- supports up to 45kg
- cable entry

TM05 *for 5cm tubes*

45kg MAX



Installation Accessories

200kg MAX

Twin Ceiling Plate (Static)
For suspension of screens over 50" and floor to ceiling column installations using Floor Plates FP3 or FP8.

- supports up to 200kg
- cable entry

CP8 *Twin / VS1000 range*
AP8 *Twin / AVECTA range*



200kg MAX

Twin Ceiling Plate (Swivel)
For suspension of screens over 50" using any column length.

- supports up to 200kg
- 360° swivel
- cable entry

CP9



200kg MAX

Twin Ceiling Plate (Swivel & Tilt)
For suspension of screens over 50" using any column length. Adjustable from level to extreme angles of tilt.

- supports up to 200kg
- 360° swivel
- cable entry

CP96



120kg MAX

Girder Flange Clamp
For girders 7.5 to 25cm wide. Adjustable from level to extreme angles of tilt.

- supports up to 120kg
- cable entry

GC25

Even wider span versions available.



GCPD

Z&C Purlin Clamps
In single and double purlin versions. Has adjustable tilt.

- supports up to 60kg
- cable entry

GCPS *Single*
GCPD *Double*

60kg MAX



Installation Accessories

Horizontal Beam Clamp
Use where external clamping around beam is necessary. State size of beam when ordering.

- supports up to 120kg
- cable entry

RSJM



Pipe Clamps
Available in a wide range of sizes. Please state pipe diameter when ordering.

- supports up to 120kg

Typical mount for 5 - 30cm pipe shown.

TM530



Pillar Clamps
We manufacture these in a wide range of sizes for circular and other shaped columns – Call us for details giving pillar dimensions.

- supports up to 120kg

typical unit shown for pillar diameter of 60cm

VCC1 *Single Arm*

VCC2 *Double Arm*

VCC3 *Triple Arm*



Single Column Floor Plate
For floor to ceiling installations in conjunction with CP1. Screen mount adapters available include PS3U and PS6U (cable entry).

FP1 *Single*



Twin Column Floor Plate
For floor to ceiling installations in conjunction with AP8 & PS3A or CP8 & PS3. Allows concealed fixing direct to floor.
Columns locate onto floor plate bushes for neat appearance.

FP3 *Use with AP8*

FP8 *Use with CP8*





Installation Accessories

PS3U1

Adapter for Single Column Mounting

For mounting screens vertically on columns or fixing single columns to walls.
- supports up to 120kg

PS3U1 *for displays up to 57"*
PS3U2 *for displays from 50" to 65"*

120kg MAX



PS3V1

Adapter for Twin Column Mounting

For mounting screens vertically on columns or fixing twin columns to walls.
- supports up to 120kg

PS3V1 *VS1000 Range*
PS3V2 *VS Range - 57" up to 65"*
PS3A1 *Avecta Range*
PS3A2 *Avecta Range - 57" up to 65"*

120kg MAX



PS3 *PS3L*

PS6U1

Coupler for Single Column Mounting

For mounting screens on two part columns.
- has cable entry port(s)
- supports up to 120kg

PS6U1 *up to 57"*
PS6U2 *up to 65"*

120kg MAX



PS6U1 *PS6U2*

PS6V1

Coupler for Twin Column Mounting

For mounting screens on two part columns.
- has cable entry port(s)
- supports up to 120kg

PS6V1 *VS1000 Range*
PS6V2 *VS Range - 57" up to 65"*
PS6A1 *Avecta Range*
PS6A2 *Avecta Range - 57" to 65"*

120kg MAX



PS6V1 *PS6V2*

Socket (Grenade) with Truss Clamp

For suspending screens from standard Truss.
- has cable entry port(s)
- supports up to 60kg

CT1 *up to 57"*

60kg MAX

NEW & Price



Installation Accessories

Column Coupler
Join columns with this concealed unit.

CC

200kg MAX



Trim Disc

TD





Single Ceiling Mount Adapter
for Pozimount and Xactmatch mounts
Adapts single Plasma / LCD mount for ceiling suspension.
- cable entry
- 360° swivel

120kg MAX

PS1 *up to 57"*

PS1L *up to 65"*

PS1T *For Rota-Mount RTMV1*

Order the Single Mount Adapter then add Ceiling Plate, (or Girder Clamp etc) and column length required.



Back-to-Back Ceiling Mount Adapter
for Pozimount and Xactmatch mounts
Combines two mounts for Back-to-Back ceiling suspension.
- cable entry
- 360° swivel

120kg MAX

PS5BB *up to 57"*

PS5LBB *up to 65"*

Order the Back-to-Back Mount Adapter then add Ceiling Plate, (or Girder Clamp etc) and column length required.



Twin Column Adapter
We advise the use of Twin Column suspension for all installations using Back-to-Back 51inch and larger flatscreens, or single screens which may be subject to stress or wind loads.
– Call us for details of our ultra heavy duty mounts.

PS4B *up to 57"*

PS4LB *up to 65"*

PS12L *Twin column - up to 65"*

120kg MAX





10 GYROLOCK® years

UK Registered Design 3011575.
UK Trade Mark 2244062.
US Patent 10/049390.

This invention relates to a mounting bracket



Gyrolock Projector Mount

* *Installation friendly – GK1 mounts anyway up, ceiling, wall or base fixable.*
* *Telescopic – use through suspended ceilings or in high, low or normal headroom situations.*
* *Trilock® docking system allows easy projector installation – just twist & lock in position.*
* *Tilt or turn your projector through any angle for easy precise screen set up.*
* *Safety rated to support 20Kg suspended vertical load. (Wall arm mode rated at 12Kg).*





GK0 Version
For projectors with single screw fixing

Height Adjustment

GK0 *23cm to 30cm*

GKC Version
For low headroom close to ceiling use
- adapter plate included

Height (fixed)

GKC/GAP *7.5cm*



GK1 Version
- adapter plate included

Height Adjustment

GK1/GAP *23cm to 30cm*

Gyrolock Projector Mounts

GAP (Example)

UGAP



Adapter Plate

GAP

Universal Adapter Plate
- EU Registered Design 000221072-0001

GAPU



G30



G50



G120

Extensions

G30 *23cm to 30cm*

G50 *35cm to 50cm*

G120 *70cm to 120cm*





GK2

G30 - 230 – 300
G30 + G50 - 230 – 700

GK2 Version (left)
- adapter plate included

Height Adjustment

GK2/GAP *23cm to 70cm*

GK3 Version (right)
- adapter plate included

Height Adjustment

GK3/GAP *70cm to 120cm*





Trim Disc
Ceiling finisher

GKTD



Gyrolock for Home Cinema
- compact GKX version for home projection
- easy installation
- full tilt and turn adjustment
- colour: diamond silver
- complete with adapter plate

GKX/GAP *12cm*





Gyrolock Projector Mounts

Gyrolock for Column Adaptation
Needs Ceiling Plate & Column to complete unit
- adapter plate included

GK4/GAP





GKU1 Version
- with universal adapter

Height Adjustment

GKU1 *23cm to 30cm*







G30 - 230 – 300
G30 + G50 - 230 – 700

GKU2 Version
- with universal adapter

Height Adjustment

GKU2 *23cm to 70cm*



GKU3 Version
- with universal adapter

Height Adjustment

GKU3 *70cm to 120cm*



Gyrolock Universal for Home Cinema
- compact GKX version for home projection
- easy installation
- full tilt and turn adjustment
- colour: diamond silver
- with universal adapter

GKUX

GKU1TC

Gyrolock Universal for Truss
Quick release eye coupler fits most types of truss.
- with universal adapter

GKUT1

Gyrolock Universal for Column Adaptation
Needs Ceiling Plate & Column to complete unit.
- with universal adapter

GKU4

Projector Mount Units

New Media Scotland

PSU™

Our PSU (Projector Suspension Unit) range covers all makes of projectors. Each mount is specifically designed for the model listed, supporting the projector either inverted or in a cradle according to manufacturer's recommendations.

All mounts have full swivel and tilt for easy positioning. Cables can be hidden within columns. Trim Discs provide a neat finish where columns pass through suspended ceilings. Special mounting options are also available.

Projector Suspension Unit

PSU *Use with suspension equipment*
TD *White trim disc ceiling finisher*
CC *Column Coupler*

Twin stack units also available – Call us for details

Projector Mount Trade Packs & Ultra Short Throw Mounts

Universal Mount Trade Packs

These 'package priced' kits offer ease and convenience for installers, combining ceiling plate, column and Universal mount for a typical installation. Three column sizes are listed.



04. **Universal Projector Kit**

KPR110CB *1m - up to 20Kg*
KPR120CB *2m - up to 20Kg*
KPR130CB *3m - up to 20Kg*

20kg MAX

Ultra Short Throw Projector Mounts

Unicol produce a universal mount for the manufacturers of the latest short & ultra short throw projectors.

STW1

Universal UST Wall Mount

There is a choice of arm lengths for ultra short throw projectors with different throw distances. Please call for details.

STW1U *30cm arm length*
STW2U *60cm arm length*
STW3U *100cm arm length*

20kg MAX



Wall Fixing Plate



STW1U: 300
STW2U: 600
STW3U: 1000

Protective Cover

STPC *Security Cover*



Guardbox Security Cages

GUARDBOX® Anti-theft Enclosures

Constructed from heavy gauge steel and incorporating many innovative features.
Six sizes are available covering a wide range of projectors. Each Guardbox incorporates our unique twin bar system, designed to fit into a number of slots for different projector lens positions. Each bar has another bar fitted inside making it virtually impossible to hacksaw through.













Projector max size inc cables

	width	depth	height
PGY	27cm	x 22cm	x 9cm
PGX	39cm	x 32cm	x 13cm
PGS	40cm	x 43cm	x 13cm
PGM	49cm	x 42cm x	15cm
PGL	40cm	x 52cm x	17cm
PGG	56cm	x 62cm x	25cm





Colour Silver/Black/Orange













Taglock Kit As a further aid to security our 'Taglock' Kits are available to provide secondary locking. (to Guardboxes)

TLK *comes with padlock*



Plasma mount Security Kit

Use this easily fitted Security Kit with any of our plasma or large LCD mounts. Use with both flat & tilting versions.

The 220cm tough steel cable system has special fittings which shield access to the screen fixing screws. Versions for Stands & Trolleys also available. (Standard Wall mount Security Kit shown)

PSK

PZX/PZW Security

Our Universal Mount range come with security tags for fitting a padlock as standard.

PZX/PZW Security tag for fitting a padlock

Anti-theft Alarm

Key operated 110dB power supply interrupt and motion sensor alarm. Can be fixed with glue provided to any device.

ATA

RGHW

RemoGuard™

Locking Remote Control Holders RemoGuard holders not only deter against the loss, theft or damage of remote control units but overcomes the problem of hard wiring to control projectors or other AV equipment.

Simply fix the unit to any wall or other line of sight surface and the reflected IR beam projects horizontally to allow normal operation.

* Fits most Remote Control Units
* RGH1 version available for larger remote's

RGHW *Colour White*
RGH1W *Colour White*



TETHERLOC® Anti-theft Kit

Add this easily fitted kit when you order your Gyrolock mount unit. The tough steel cable system has special fittings which shield access to the projector fixing screws and link the mount and projector to the ceiling fixing bolts. (Access to the ceiling bolts is also shielded by the special locking unit).

Standard, medium or long cable sets are available for the following Gyrolock versions.

GT40 *for GK1 (40cm cables)*
GT80 *for GK2 (80cm cables)*
GT130 *for GK3 (130cm cables)*

Locking Ceiling Plate Cover

Shields the Ceiling Plate from unauthorised removal. To be used with CP1.

CPSC1

Special Projects Division

SPECIAL PROJECTS

Outdoor housing for
4 x 32" screens

Avecta Back to
Back unit with
4x46"screens

Modified Axia trolley
with 3D projector rig

Table with inlaid 46" touch screen

Special Projector Rigs

Alongside our standard range of projector mounts we also undertake specialist rigs for many applications including housings for different lenses, filter holders, twin and triple stack units and 3D rigs,(shown below).
These projects have to be programmed into our work flow and in some cases we require the projector into our factory. Please contact us for further details.

3D

Our Special Products Division designs bespoke systems to solve the most difficult mounting challenges.

We mostly use standard parts from our vast database but sometimes a new design is necessary to provide a solution that meets the requirement and can save money.

SPECIAL PROJECTS

Stadia

If you cannot see the part you require from our extensive range of products then please call us. On average we are currently producing 6 bespoke projects every week and have solved most AV mounting challenges but are more than willing to discuss a specification, quote for a new design and build a prototype.

Bespoke system required to support a new Digital Signage solution comprising 2 types of display, 42 and 52 inch and content player all in the same mount. This has to be able to be wall, ceiling and stand mounted both single screen and back to back configurations. Both indoor and outdoor systems will be required and therefore weather conditions in summer and winter have to be taken into consideration. It is also likely that high wind conditions might arise on displays outdoors therefore the mounting system will need some flexibility in order to protect fastening integrity. Colour options, stainless steel columns and adverse weather resistant finishes are requested.





General Accessories



10cm Castor

C101 *VS1000 range*

C104 *Set of 4 – VS1000 range*

10cm Braked Castor

BC10 *VS1000 / Axia Titan range*



7.5cm Castor

BCO7 *Braked - Avecta & Axia range*

CO7 *Un-braked version*



5cm Orbit Castor

CO5 *Single Column Trolley range*



Hand Wheel

HW38F *Single Column Trolley range*



Socket Cap

SC *Fits over our standard sockets*

Wall mounted shelves ideal for Video Conferencing

Standard platform unit for mounting on the wall. Available for specific Video Conferencing Units. – Call us for details.

WBVC *34w x 26d - Metal*

WBVG *size: 40cm x 50cm - Glass*

WBVG1 *size: 39cm x 78cm - Glass*



Unicol Columns

Along with our standard columns below we also cut them to customers special requirements.

cost per cm

We offer larger diameter columns, colour finishes and even stainless steel. Safety 'through bolt' holes must be specified if used for suspension applications.

Standard Unicol Columns

500 *50cm*

1000 *100cm*

2000 *200cm*

3000 *300cm*



Locking Ring

LR

Use for cutting and drilling through bolt holes in correct position

Column Drilling Jig

CDJ1

Touch-in Paint

SPB *Black*

SPS *Silver*

Replacement Lock & Keys

LK

Allen Key

AK316 *Fits Grub Screws & Through Bolts*

Through Bolt

TB38F

Grub Screw

GS38F

Outdoor Housings & Protective Covers

Housings and Covers

We have a wide range of housings and covers including standard Outdoor Housings, designed with universal fittings. We also design and manufacture bespoke items and unless we already have the screen listed, we do require the particular screen into our factory for design and correct fitting. Bespoke items can also be branded with colour schemes and logos.

Note: There is a dedicated charge for carriage on this item – call for details

LCD Outdoor Housing

Aluminium light weight housings provide corrosion free powder coated finish for outdoor use. Units are IP53 rated and have 5mm thick clear anti-shatter screen protection. Standard unit fits 40 to 46inch LCD screens, other screen sizes can be made to special order – screen is needed for this design process.

* Cooling fans and heater fitted as standard
* Can be supplied for wall or ceiling mounting
* Supports up to 60kg
* Standard units fit 40" to 46" screens
* Colour – black

(Anti-reflective screen at additional cost)

ODH1 *40 to 46″*



Screen Protective Covers

5mm thick, clear, anti-shatter screen with a metal bezel provides a durable front cover for screens.
We manufacture units for all screen makes and can supply bespoke versions in branded colours including logos. Anti-reflective screens can be provided and landscape and portrait versions are available.

PCL *Landscape up to 50″*
PCP *Portrait up to 50″*
PCS *51″ to 65″*

(Anti-reflective screen at additional cost)

Screen Rear Covers

We design and manufacture rear screen covers to hide cables and neaten the appearance; they can either cover the whole rear or just cable routing areas.

BCW *Landscape up to 50″*

For cable or speaker covers please call us for price



Typical Cover shown - sizes vary according to screen





UNICOL

Supporting You

UNICOL Audiovisual S.I. Avda Reina Sofia, Edificio Atrium, Bloque 1, Bajo B, Bahia De Marbella, 29603
Marbella, Malaga, Espania. Tel: +34 952 90 28 13 Mov: +34 619 63 73 19 Email: unicol@unicoliberica.com

48 years Mount Technology Innovation

FSC Mixed Sources
Product group from well-managed forests, and other controlled sources
www.fsc.org Cert no. TT-COC-002639
© 1996 Forest Stewardship Council

CERTIFICATION INTERNATIONAL
ISO 9001:2008
Cert No: CI/11122
UKAS MANAGEMENT SYSTEMS
063